

electrode terminal (not shown) of the video camera 6 are connected electrically. Thus, the user can operate the video camera 6 by operating the operation system 8 of the video printer

16. --

IN THE CLAIMS

Please cancel claims 1-7 without prejudice or disclaimer of their underlying subject matter.

Please add the following new claims.

Sub 81 8. (new) A video printer comprising:

DJ *Conn* a video printer housing portion, a printer mechanism and an operation system;

said video printer housing portion having a connector, said connector being structurally adapted to mechanically and electrically attach a video camera to said video printer housing portion;

said video camera being removably connectable with said video printer housing portion, said video camera being adapted to operate separate and apart from said video printer, said video camera having a display device incorporated therein;

said printer mechanism being incorporated within said video printer housing portion, said printer mechanism outputting a physical reproduction of an image, said image being captured by

Subj
Cont) said video camera; and

 said operation system being incorporated within said video printer housing portion, said operation system controlling selection of said image displayed on said display device and controlling operation of said printer mechanism.

Subj
Cont) 9. (new) A video printer according to claim 8, wherein said printer mechanism prints said image on a printing paper as a hard copy, said image being selected from a plurality of video pictures, said plurality of video pictures being recorded by said video camera as continuous motion images.

10. (new) A video printer according to claim 8, wherein said operation system is used to select said image to be printed by said printer mechanism.

11. (new) A video printer according to claim 8, wherein said display device includes a liquid crystal display.

12. (new) A video printer according to claim 8, wherein said image is displayed on said display device.

13. (new) A video printer according to claim 12, wherein said image that is displayed on said display device is controlled by said operation system.

14. (new) A video printer according to claim 13, wherein said operation system includes a shuttle ring, said shuttle ring providing a control to fast-forward said image displayed on said display device or to rewind said image displayed on said display device.

15. (new) A video printer according to claim 14, wherein said shuttle ring has a play button integrally disposed therein, said play button providing a control to play back said image displayed on said display device.

16. (new) A video printer according to claim 15, wherein said play button has a stop button integrally disposed therein, said stop button providing a control to stop operation of said video camera.

17. (new) A video printer according to claim 13, wherein said operation system includes a pause button, said pause button providing a control to place said image displayed on said display device in a state of a still picture.

18. (new) A video printer according to claim 13, wherein said operation system includes a first memory button, said first memory button providing a control to store said image displayed

on said display device within a recordable medium of said video printer.

19. (new) A video printer according to claim 13, wherein
said operation system includes a second memory button, said
second memory button providing a control to access said image
that has been stored within a recordable medium of said video
printer. *(76)*

*Print
cont
cont
cont* 20. (new) A video printer according to claim 13, wherein
said operation system includes an input picture button, said
input picture button providing a control to input video data
indicative of said image into a recordable medium of said video
printer. *(76)*

21. (new) A video printer according to claim 8, wherein said
connector includes a signal input/output terminal and a plurality
of guide rails.

22. (new) A video printer according to claim 21, wherein
said guide rails being structurally adapted for guiding said
video camera onto said video printer housing portion. *)*

23. (new) A video printer according to claim 21, wherein
said signal input/output terminal includes at least one contact *)*

member, said contact member being in electrical contact with said video camera to provide a signal between said video printer and said video camera.

24. (new) A video printer according to claim 21, wherein said signal input/output terminal includes at least one contact member, said contact member being in electrical contact with said video camera to provide power between said video printer and said video camera.

25. (new) A video printer according to claim 8, wherein said printer mechanism outputs said physical reproduction of said image being on a paper medium.

26. (new) A video printer according to claim 8, wherein said operation system is disposed on said video printer housing portion.

27. (new) A video printer according to claim 8, wherein said printer mechanism outputs said physical reproduction of said image being on a paper medium.

28. (new) A video printer according to claim 8, wherein said connector includes a locking mechanism, said locking mechanism being structurally adapted to releasably secure said video camera

Sub (2) to said video printer housing portion.
Concl.

Sub (2)
29. (new) A video printer according to claim 8, wherein said video printer housing portion includes a signal input and output connection terminal disposed on said video printer housing portion, said signal input and output connection terminal electrically connecting said video camera attached to said video printer housing portion to said printer mechanism.

DJ/cont
30. (new) A video printer according to claim 29, wherein said video printer housing portion has a pair of guide rails, said guide rails being formed at a portion of said video printer housing portion to which said video camera is attached, and said guide rails guide an electrode terminal disposed on a bottom surface of said video camera to the position at which said electrode terminal comes in contact with said input and output connection terminal.

Sub (3)
31. (new) A video printer according to claim 8, wherein said video camera is of a video camera with a liquid-crystal display monitor, and said video printer is operated while said image entered into said printer mechanism or the manner in which said printer mechanism is operated is visually confirmed on said display device.

Set 1/1

32. (new) A video printer according to claim 8, wherein said video camera operation system includes a shuttle ring for displaying on said display device in a play mode, pause mode, fast-forward mode or rewind mode a video picture recorded as continuous motion images.

D/C

33. (new) A video printer according to claim 8, wherein said operation system includes a memory operation means for storing video data indicative of a video picture selected from said plurality of video pictures recorded as continuous motion images by said video camera in a memory of said video printer.

6/26

34. (new) A video printer according to claim 8, wherein said video camera operation system includes input operation means for entering video data indicative of video picture in a memory of said video printer.

35. (new) A video printer according to claim 8, wherein said printer supports a video camera operation switch and a printer operation switch.
